

NUMEROUS CHANGES IN THE SMALL INTESTINE IN PULMONARY FIBROSIS. THE BODY'S RESPONSE TO EXPERIMENTAL PULMONARY FIBROSIS

Barnoev Akhtam Istamovich

1 Bukhara State Medical Institute named after Abu Ali ibn Sino, Republic of Uzbekistan, Bukhara.

Abstract

From the earliest descriptions of patients with pulmonary fibrosis, cellular inflammation in the lung parenchyma has been a consistent pathologic finding . Histologic analysis has shown varied accumulations of lymphocytes, macrophages, plasma cells, eosinophils and neutrophils, and the presence of lymphoid follicles with germinal centers has been observed in many patients in the lung interstitium . The initial terms ‘diffuse fibrosing alveolitis’ and ‘cryptogenic fibrosing alveolitis’ were used as a reflection of the inflammatory component of the pathologic process in pulmonary fibrosis , and most patients with usual interstitial pneumonia (UIP), the pathologic hallmark of IPF, will manifest a mild to moderate degree of chronic cellular inflammation in the lung.

Keywords: Pulmonary fibrosis, immune system, idiopathic pulmonary fibrosis. Over the past 15 to 20 years, however, the role of inflammation has been questioned, and the hypothesis has been put forward that active cellular lung inflammation is not a major feature or requirement for the development of IPF. Recent pathologic descriptions of patients with UIP have emphasized the epithelial, mesenchymal, and ECM abnormalities while de-emphasizing the cellular inflammatory features. This paradigm has thus shifted emphasis in IPF towards a process of epithelial cell injury coupled with exaggerated wound healing, and inflammation has been relegated to a mechanistically less important and bystander role in the fibrotic process. Probably the major supporting argument for inflammation playing a non-causal role stems from the observation that anti-inflammatory therapies, particularly corticosteroids, have been uniformly ineffective in improving pulmonary function or survival in patients with IPF. However, even though the role of inflammation in IPF has been recently de-emphasized, the original findings of cellular inflammation in the lung have been supplemented with an extensive accumulation of scientific studies which have implicated numerous inflammation-related cytokines and cell surface molecules in profibrotic mechanisms. It is also important to note that resistance to corticosteroids does not necessarily indicate or equate with a lack of inflammatory involvement, as there are several well-established diseases in which inflammation is clearly accepted to be the predominant underlying mechanism, but in which traditional anti-inflammatory therapy has been poorly effective. Stemming from the observations on inflammatory cells, cytokines, chemokines, and cell surface molecules, the

inflammation hypothesis has dominated the field of pulmonary fibrosis for nearly four decades, and IPF continues to be viewed by many authorities as a chronic inflammatory disease of the lung parenchyma.

Conclusions

In addition to altered mesenchymal cells, abnormalities of the alveolar epithelium in patients with pulmonary fibrosis have been noted from the earliest descriptions of the disease process. Loss of normal type I alveolar epithelium and replacement by hyperplastic type II cells or bronchiolar cuboidal cells is a consistent finding in patients with IPF. In addition to these observations, more recent mechanistic studies have focused on the interplay, or cross-talk, between damaged epithelial cells and lung mesenchymal cells. This epithelial-mesenchymal interplay lends support to a key theme in pulmonary fibrosis, in which altered lung mesenchymal cells coupled with alveolar epithelial cell injury result in the accumulation of ECM and remodeling of the lung architecture.

References

1. Orr CR, Jacobs WF. Pulmonary Fibrosis. *Radiology*. 1926;7:318–325. [Google Scholar]
2. Hamman L, Rich AR. Fulminating diffuse interstitial fibrosis of the lungs. *Trans Am Clin Climatol Assoc*. 1935;51:154–163. [PMC free article] [PubMed] [Google Scholar]
3. Hamman L, Rich A. Acute diffuse interstitial fibrosis of the lungs. *Bull Johns Hopkins Hosp*. 1944;74:177–212. [Google Scholar]
4. Scadding JG, Hinson KF. Diffuse fibrosing alveolitis (diffuse interstitial fibrosis of the lungs). Correlation of histology at biopsy with prognosis. *Thorax*. 1967;22:291–304. [PMC free article] [PubMed] [Google Scholar]
5. Crystal RG, Fulmer JD, Roberts WC, Moss ML, Line BR, Reynolds HY. Idiopathic pulmonary fibrosis. Clinical, histologic, radiographic, physiologic, scintigraphic, cytologic, and biochemical aspects. *Ann Intern Med*. 1976;85:769–788. [PubMed] [Google Scholar]
6. NA.Narzieva, N.Hasanova Communicative competence as a pedagogical model in the classrooms, *ACADEMICIA: An international Multidisciplinary Research Journal*, volume 10(6),78-81,2020
7. NA Narzieva The concept of defined target technologies and their role in the educational process, *Theoretical and Applied science*, 2020
8. NA Narzieva. The concept of defined target technologies and their role in the educational process// *Theoretical & Applied science*, 356-360, 2020
9. NN Atakulovna FACTORS SUPPORTING TEACHING AND LEARNING ENGLISH IN NON-ENGLISH SPEAKING COUNTRIES, *ResearchJet Journal of Analysis and Inventions*, 2021

10. NN Atakulovna Teaching Vocabulary by Using Digital Technology to Non-Native Learners, " ONLINE-CONFERENCES" PLATFORM, 2021
11. NA Narzieva, ORGANIZING ENGLISH CLASSES REGARDING LEARNERS WISHES, Scientific progress, 2021
12. Narzieva Nilufar Atakulovna, Teaching ESP to dentistry students, Web of Scientist: International Scientific Research Journal, 2022

